
Theses

2018

The identification of the role and competencies of the graduate nurse in recognising and responding to the deteriorating patient in an acute ward environment: A mixed methods study

Steven Hardman

Follow this and additional works at: <https://researchonline.nd.edu.au/theses>



COMMONWEALTH OF AUSTRALIA
Copyright Regulations 1969

WARNING

The material in this communication may be subject to copyright under the Act. Any further copying or communication of this material by you may be the subject of copyright protection under the Act.
Do not remove this notice.

This dissertation/thesis is brought to you by ResearchOnline@ND. It has been accepted for inclusion in Theses by an authorized administrator of ResearchOnline@ND. For more information, please contact researchonline@nd.edu.au.



References

- Aiken, L. H., Clarke, S. P., Silber, J. H., & Sloane, D. (2003). Hospital nurse staffing, education, and patient mortality. *LDI Issue Brief*, 9(2), 1-4.
- Aitken, L. M., Marshall, A. P., Elliott, R., & McKinley, S. (2009). Critical care nurses' decision making: Sedation assessment and management in intensive care. *Journal of Clinical Nursing*, 18(1), 36-45. doi:10.1111/j.1365-2702.2008.02318.x
- Ajzen, I. (2005). *Attitudes, personality, and behavior* (2 ed.). Berkshire: Open University Press. Retrieved from <http://ndaus.summon.serialssolutions.com>
- Albarran, J. (2009). Nursing in Critical Care - making a healthy progress *Nursing in Critical Care*, 14(1), 1-2. doi: 10.1111/j.1478-5153.2008.00314.x
- Albutt, A. K., O'Hara, J. K., Conner, M. T., Fletcher, S. J., & Lawton, R. J. (2017). Is there a role for patients and their relatives in escalating clinical deterioration in hospital? A systematic review. *Health Expectations*, 20(5), 818-825. doi:10.1111/hex.12496
- Allen, E., Elliott, D., & Jackson, D. (2017). Recognising and responding to in-hospital clinical deterioration: An integrative review of inter-professional practice issues. *Journal of Clinical Nursing*, 26(23-24), 3990-4012. 10.1111/jocn.13839
- Alspach, G. (2008). Calling all preceptors: How can we better prepare and support you? *Critical Care Nurse*, 28(5), 13-16.
- Amos, D. (2001). An evaluation of staff nurse role transition. *Nursing Standard*, 16(3), 36.
- Anderson, T., Linden, L., Allen, M., & Gibbs, E. (2009). New graduate RN work satisfaction after completing an interactive nurse residency. *JONA: The Journal of Nursing Administration*, 39(4), 165-169. doi:10.1097/NNA.0b013e31819c9cac
- Andrews, T., & Waterman, H. (2005). Packaging: A grounded theory of how to report physiological deterioration effectively. *Journal of Advanced Nursing*, 52(5), 473-481. doi:10.1111/j.1365-2648.2005.03615.x

Anesi, G. L. (2017). Assessing a population-level policy intervention seeking to avert in-hospital clinical deterioration. *Resuscitation*, 121, A9.
10.1016/j.resuscitation.2017.09.027 Retrieved from
<https://www.sciencedirect.com/science/article/pii/S030095721730638X>

Australian Bureau of Statistics. (2017) 3218.0 - Regional Population Growth, Australia, 2016.
Retrieved from <http://www.abs.gov.au/AUSSTATS/abs@.nsf/mf/3218.0>

Australian Commission on Safety and Quality in Health Care. (2008). *Recognising and responding to clinical deterioration: background paper*. Sydney, ACSQHC.

Australian Commission on Safety and Quality in Health Care. (2010). *National Consensus Statement: Essential Elements for Recognising and Responding to Clinical Deterioration*. Sydney, ACSQHC.

Australian Commission on Safety and Quality in Health Care. (2017). National Consensus Statement: Essential Elements for Recognising and Responding to Clinical Deterioration (2nd Ed). Sydney, ACSQHC.

Australian Commission on Safety and Quality in Health Care (2012). *National Safety and Quality Health Service Standards*. Sydney, ACSQHC.

Australian Commission on Safety and Quality in Health Care (2017), *Consultation Draft: National Safety and Quality Health Service Standards guide for hospitals*. Sydney: ACSQHC.

Australian Institute of Health and Welfare. (2008). *Australia's Health 2008*. AIHW. Canberra.

Australian Nursing and Midwifery Council. (2006). *National Competency standards for the midwife*. Canberra: ANMC.

Australian Nursing and Midwifery Council. (2017). *Program accreditation overview*.
Retrieved from <https://www.anmac.org.au/program-accreditation/overview>.

- Axley, L. (2008). Competency: A concept analysis. *Nursing Forum*, 43(4), 214-222.
doi:10.1111/j.1744-6198.2008.00115.x
- Baker, G. R., Norton, P. G., Flintoft, V., Blais, R., Brown, A., Cox, J., Tamblyn, R. (2004). The canadian adverse events study: The incidence of adverse events among hospital patients in canada. *Cmaj*, 170(11), 1678-1686. doi:10.1503/cmaj.1040498
- Bandura, A. (1977). Self-efficacy: Toward a unifying theory of behavioral change. *Psychological Review*, 84(2), 191-215. doi:10.1037/0033-295X.84.2.191
- Bell, C. M., & Redelmeier, D. A. (2001). Mortality among patients admitted to hospitals on weekends as compared with weekdays. *The New England Journal of Medicine*, 345(9), 663-668. doi:10.1056/NEJMsa003376
- Bellomo, R., Goldsmith, D., Uchino, S., Buckmaster, J., Hart, G., Opdam, H., Gutteridge, G. (2004). Prospective controlled trial of effect of medical emergency team on postoperative morbidity and mortality rates. *Critical Care Medicine*, 32(4), 916-921. doi:10.1097/01.CCM.0000119428.02968.9E
- Biesta, G. (2010). Pragmatism and the philosophical foundations of mixed methods research. In A. Tashakkori & C. Teddlie (Eds.), *Handbook of mixed methods research for the social & behavioral sciences (2nd ed)*. (pp. 95-118). Thousand Oaks, CA: SAGE.
- Birks, M., Davis, J., Smithson, J., & Cant, R. (2016). Registered nurse scope of practice in Australia: An integrative review of the literature. *Contemporary Nurse*, 52(5), 522-543. doi:10.1080/10376178.2016.1238773
- Bobay, K. L., Fiorelli, K. L., & Anderson, A. J. (2008). Failure to rescue a preliminary study of patient-level factors. *Journal of Nursing Care Quality*, 23(3), 211-215. doi:10.1097/01.NCQ.0000324584.61343.15
- Bowen, G. A. (2008). Naturalistic inquiry and the saturation concept: A research note. *Qualitative Research*, 8(1), 137-152. doi:10.1177/1468794107085301

- Brief, A. P., Sell, M. V., Aldag, R. J., & Melone, N. (1979). Anticipatory socialization and role stress among registered nurses. *Journal of Health and Social Behavior*, 20(2), 161-166.
- Brookes, K., Davidson, P. M., Daly, J., & Halcomb, E. J. (2007). Role theory: A framework to investigate the community nurse role in contemporary health care systems. *Contemporary Nurse: A Journal for the Australian Nursing Profession*, 25(1-2), 146-155.
- Braun, V., & Clarke, V. (2006). Using thematic analysis in psychology. *Qualitative Research in Psychology*, 3, 77–101. Retrieved from www.qualresearchpsych.com.
- Brunt, B. A. (2005). Critical thinking in nursing: An integrated review. *Journal of Continuing Education in Nursing*, 36(2), 60-67.
- Bryman, A. (2006). Integrating quantitative and qualitative research: how is it done? *Qualitative Research*, 6, 9-113.
- Bryman, A. (2007). Barriers to integrating quantitative and qualitative research. *Journal of Mixed Methods Research*, 1(1), 8-22.
- Bucknall, T. K., Jones, D., Bellomo, R., & Staples, M. (2013). Responding to medical emergencies: System characteristics under examination (RESCUE). A prospective multi-site point prevalence study. *Resuscitation*, 84(2), 179-183.
doi:10.1016/j.resuscitation.2012.06.015
- Buist, M., Bernard, S., Nguyen, T. V., Moore, G., & Anderson, J. (2004). Association between clinically abnormal observations and subsequent in-hospital mortality: A prospective study. *Resuscitation*, 62(2), 137-141.
doi:10.1016/j.resuscitation.2004.03.005
- Buist, M., Harrison, J., Abaloz, E., & Dyke, S. V. (2007). Six year audit of cardiac arrests and medical emergency team calls in an Australian outer metropolitan teaching hospital. *Bmj*, 335(7631), 1210-1212. doi:10.1136/bmj.39385.534236.47

- Burger, J. L., Parker, K., Cason, L., Hauck, S., Kaetzel, D., O'Nan, C., & White, A. (2010). Responses to work complexity: The novice to expert effect. *Western Journal of Nursing Research*, 32(4), 497-510. doi:10.1177/0193945909355149
- Burke, G. C., 3, Tompkins, L. S., & Davis, J. D. (1991). Role conflict and role ambiguity among respiratory care managers. *Respiratory Care*, 36(8), 829-836.
- Burns, N., & Grove, S. K., (2002). *The practice of nursing research conduct, critique & utilization (4th ed.)*. Philadelphia, W. B. Saunders.
- Buykx, P., Kinsman, L., Cooper, S., McConnell-Henry, T., Cant, R., Endacott, R., & Scholes, J. (2011). FIRST2ACT: Educating nurses to identify patient deterioration - a theory-based model for best practice simulation education. *Nurse Education Today*, 31(7), 687. doi:10.1016/j.nedt.2011.03.006
- Callaghan, P., Tak-Ying, S. A., & Wyatt, P. A. (2000). Factors related to stress and coping among Chinese nurses in Hong Kong. *Journal of Advanced Nursing*, 31(6), 1518-1527. doi:10.1046/j.1365-2648.2000.01434.x
- Campbell, S. (2007). The process of planning, organising and conducting focus group discussions. *Nursing Times*, 103(4), 34-35.
- Cardona-Morrell, M., Prgomet, M., Lake, R., Nicholson, M., Harrison, R., Long, J., Hillman, K. (2016). Vital signs monitoring and nurse-patient interaction: A qualitative observational study of hospital practice. *International Journal of Nursing Studies*, 56, 9-16. doi:10.1016/j.ijnurstu.2015.12.007
- Cardoso, L. T. Q., Grion, C. M. C., Matsuo, T., Anami, E. H. T., Kauss, I. A. M., Seko, L., & Bonametti, A. M. (2011). Impact of delayed admission to intensive care units on mortality of critically ill patients: A cohort study. *Critical Care* (London, England), 15(1), R28. 10.1186/cc9975 Retrieved from
<http://www.ncbi.nlm.nih.gov/pubmed/21244671>

- Casey, K., Fink, R. R., Krugman, A. M., & Propst, F. J. (2004). The graduate nurse experience. *JONA: The Journal of Nursing Administration*, 34(6), 303-311. doi:10.1097/00005110-200406000-00010
- Chan, P. S., Jain, R., Nallmothu, B. K., Berg, R. A., & Sasson, C. (2010). Rapid response teams: A systematic review and meta-analysis. *Archives of Internal Medicine*, 170(1), 18-26. doi:10.1001/archinternmed.2009.424
- Chang, E., & Hancock, K. (2003). Role stress and role ambiguity in new nursing graduates in Australia. *Nursing & Health Sciences*, 5(2), 155-163. doi:10.1046/j.1442-2018.2003.00147.x
- Cheeks, P., & Dunn, P. S. (2010). A new-graduate program: Empowering the novice nurse. *Journal for Nurses in Staff Development: JNSD: Official Journal of the National Nursing Staff Development Organization*, 26(5), 223-227.
- Chellel, A., Fraser, J., Fender, V., Higgs, D., Buras-Rees, S., Hook, L., Mummery, L., et al. (2002). Nursing observations on ward patients at risk of critical illness. *Nursing times*, 98(46), 36-39.
- Chellel, A., Higgs, D., & Scholes, J. (2000). An evaluation of the contribution of critical care outreach to the clinical management of the critically ill ward patient in two acute NHS trusts. *Nursing in Critical Care*, 11, 42-49.
- Church, C. D. (2016). Defining competence in nursing and its relevance to quality care. *Journal for Nurses in Professional Development*, 32(5), E14. doi:10.1097/NND.0000000000000289
- Cioffi, J. (2000). Nurses' experiences of making decisions to call emergency assistance to their patients. *Journal of Advanced Nursing*, 32(1), 108-114. doi:10.1046/j.1365-2648.2000.01414.x
- Cioffi, J., Conway, R., Everist, L., Scott, J., & Senior, J. (2010). 'Changes of concern' for detecting potential early clinical deterioration: A validation study. *Australian Critical Care*, 23(4), 188-196. doi:10.1016/j.aucc.2010.04.002

- Clarke, S. P. (2004). Failure to rescue: Lessons from missed opportunities in care. *Nursing Inquiry*, 11(2), 67-71. doi:10.1111/j.1440-1800.2004.00210.x
- Connelly, L. M. (2016). Understanding Research. Trustworthiness in Qualitative Research. *MEDSURG Nursing*, 25(6), 435-436.
- Considine, J., & Botti, M. (2004). Who, when and where? identification of patients at risk of an in-hospital adverse event: Implications for nursing practice. *International Journal of Nursing Practice*, 10(1), 21-31. doi:10.1111/j.1440-172X.2003.00452.x
- Cox, H., James, J., & Hunt, J. (2006). The experiences of trained nurses caring for critically ill patients within a general ward setting. *Intensive & Critical Care Nursing*, 22(5), 283-293. doi:10.1016/j.iccn.2006.02.003
- Creswell, J. W. (2009). Editorial: Mapping the field of mixed methods research. *Journal of Mixed Methods Research*, 3(2), 95-108. doi:10.1177/1558689808330883
- Creswell, J. W., & Plano Clark, V. L. (2007). *Designing and conducting mixed methods research*. Thousand Oaks, CA: Sage.
- Creswell, J. W., & Plano Clark, V. L. (2011). *Designing and conducting mixed methods research (2nd ed.)*. Los Angeles, Calif: SAGE Publications.
- Cretikos, M., Chen, J., Hillman, K. M., Bellomo, R., Finfer, S. R., & Flabouris, A. (2007). The effectiveness of implementation of the medical emergency team (MET) system and factors associated with use during the MERIT study. *Critical care and resuscitation : journal of the Australasian Academy of Critical Care Medicine*, 9(2), 206-12.
- Cretikos, M., Bellomo, R., Hillman, K., Chen, J., Finfer, S., Flabouris, A. (2008), Respiratory rate: the neglected vital sign. *The Medical Journal of Australia*. 188(11), 657-659.
- Crispin, C., & Daffurn, K. (1998). Nurses' responses to acute severe illness. *Australian Critical Care*, 11(4), 131-133. doi:10.1016/S1036-7314(98)70500-4

Cubit, K. A., & Leeson, B. G. (2009). Is there a case for tailoring graduate programs for nurses who have previously practiced as enrolled nurses? *Nurse Education Today*, 29(8), 891-894. doi:10.1016/j.nedt.2009.06.013

Cubit, K., & Lopez, V. (2012). Qualitative study of enrolled nurses transition to registered nurses. *Journal of Advanced Nursing*, 68(1), 206-211. doi:10.1111/j.1365-2648.2011.05729.x

Cutler, L. R. (2002). From ward-based critical care to educational curriculum 1: A literature review. *Intensive & Critical Care Nursing*, 18(3), 162-170. doi:10.1016/S0964-3397(02)00029-0

Dacey, M. J., Mirza, E. R., Wilcox, V., Doherty, M., Mello, J., Boyer, A., Baute, R. (2007). The effect of a rapid response team on major clinical outcome measures in a community hospital. *Critical Care Medicine*, 35(9), 2076-2082. doi:10.1097/01.CCM.0000281518.17482.EE

Davies, O., DeVita, M. A., Ayinla, R., & Perez, X. (2014). Barriers to activation of the rapid response system. *Resuscitation*, 85(11), 1557-1561. doi:10.1016/j.resuscitation.2014.07.013

Delaney, C. (2003). Walking a fine line: Graduate nurses' transition experiences during orientation. *The Journal of Nursing Education*, 42(10), 437-443.

Della Ratta, C. (2016). Challenging graduate nurses' transition: Care of the deteriorating patient. *Journal of Clinical Nursing*, 25(19-20), 3036-3048. doi:10.1111/jocn.13358

Denzin, N. (2012). Triangulation 2.0. *Journal of Mixed Methods Research*, 6, 80-88.

Department of Health. (2009). *Competencies for Recognising and Responding to Acutely Ill Patients in Hospital*. London, DH.

DeVita, M. (2005). Medical emergency teams: Deciphering clues to crises in hospitals. *Critical Care*, 9(4), 325-326. doi:10.1186/cc3721

- DeVita, M., Bellomo, R., Hillman, K., Kellum, J., Rotondi, A., Teres, D., Galhotra, S. (2006). Findings of the first consensus conference on medical emergency teams. *Critical Care Medicine*, 34(9), 2463-2478. doi:10.1097/01.CCM.0000235743.38172.6E
- Dewey J. (1987) *The Later Works of John Dewey, 1925-1953, (1st ed)*. Southern Illinois University, Carbondale, IL, USA.
- Donohue, L. A., & Endacott, R. (2010). Track, trigger and teamwork: Communication of deterioration in acute medical and surgical wards. *Intensive & Critical Care Nursing*, 26(1), 10-17. doi:10.1016/j.iccn.2009.10.006
- Doody, O., Slevin, E., Taggart, L. (2013). Focus group interviews in nursing research: part 1. *British Journal of Nursing*, 22(1): 16-19. doi:10.12968/bjon.2013.22.1.16
- Downey, A. W., Quach, J. L., Haase, M., Haase-Fielitz, A., Jones, D., & Bellomo, R. (2008). Characteristics and outcomes of patients receiving a medical emergency team review for acute change in conscious state or arrhythmias. *Critical Care Medicine*, 36(2), 477-481. doi:10.1097/01.CCM.0000300277.41113.46
- Doyle, L., Brady, A., & Byrne, G. (2009). An overview of mixed methods research. *Journal of Research in Nursing*, 14, 175-185.
- Duchscher, J. E. B. (2009). Transition shock: The initial stage of role adaptation for newly graduated registered nurses. *Journal of Advanced Nursing*, 65(5), 1103-1113. doi:10.1111/j.1365-2648.2008.04898.x
- Duffield, C. M., Gardner, G., Chang, A. M., Fry, M., & Stasa, H. (2011). National regulation in Australia: A time for standardisation in roles and titles. *Collegian*, 18(2), 45-49. doi:10.1016/j.colegn.2011.01.002
- Dyess, S. M. (2009). The first year of practice: New graduate nurses' transition and learning needs. *Journal of Continuing Education in Nursing*, 40(9), 403-410. doi:10.3928/00220124-20090824-03

- Ebert, L., Hoffman, K., Levett-Jones, T., & Gilligan, C. (2014). "They have no idea of what we do or what we know": Australian graduates' perceptions of working in a health care team. *Nurse Education in Practice*, 14(5), 544-550. doi:10.1016/j.nep.2014.06.005
- Ebright, P., Urden, L., Patterson, E., & Chalko, B. (2004). Themes surrounding novice nurse near-miss and adverse-event situations. *JONA: The Journal of Nursing Administration*, 34(11), 531-538. doi:10.1097/00005110-200411000-00010
- Endacott, R., Kidd, T., Chaboyer, W., & Edington, J. (2007). Recognition and communication of patient deterioration in a regional hospital: A multi-methods study. *Australian Critical Care*, 20(3), 100-105. doi:10.1016/j.aucc.2007.05.002
- Endacott, R., & Westley, M. (2006). Managing patients at risk of deterioration in rural hospitals: A qualitative study. *Australian Journal of Rural Health*, 14(6), 275-279. doi:10.1111/j.1440-1584.2006.00829.x
- Evans, J., Boxer, E., & Sanber, S. (2008). The strengths and weaknesses of transitional support programs for newly registered nurses. *Australian Journal of Advanced Nursing*, 25(4), 16-22.
- Fain, J. A. (2015). *Reading, understanding, and applying nursing research (4th, revis reprint. ed.)*. Philadelphia: F. A. Davis.
- Featherstone, P., Smith, G. B., Linnell, M., Easton, S., & Osgood, V. M. (2005). Impact of a one-day inter-professional course (ALERT TM) on attitudes and confidence in managing critically ill adult patients. *Postgraduate Medical Journal*, 65, 329-336. doi:10.1016/j.resuscitation.2004.12.011
- Flinkman, M., Leino-Kilpi, H., Numminen, O., Jeon, Y., Kuokkanen, L., & Meretoja, R. (2017). Nurse competence scale: A systematic and psychometric review. *Journal of Advanced Nursing*, 73(5), 1035-1050. doi:10.1111/jan.13183
- Forthofer, M. (2003). Status of mixed methods in the health sciences. In A. Tashakkori & C. Teddlie (Eds.), *Handbook of mixed methods in social & behavioral research* (pp. 527-540). Thousand Oaks, CA: Sage.

Franklin, C., & Mathew, J. (1994). Developing strategies to prevent in hospital cardiac arrest: Analyzing responses of physicians and nurses in the hours before the event. *Critical Care Medicine*, 22(2), 244-247.

Freeling, M., & Parker, S. (2015). Exploring experienced nurses' attitudes, views and expectations of new graduate nurses: A critical review. *Nurse Education Today*, 35(2), 42-49. doi:10.1016/j.nedt.2014.11.011

Freeman JV, Julious SA. The analysis of categorical data. *Scope 2007*, 16(1), 18–21.

Freeman, K., O'Dell, C., & Meola, C. (2001). Focus group methodology for patients, parents, and siblings. *Journal of Pediatric Oncology Nursing*, 18(6), 276-286. doi:10.1053/jpon.2001.28455

Fry, M., & MacGregor, C. (2014). Confidence and impact on clinical decision-making and behaviour in the emergency department. *Australasian Emergency Nursing Journal: AENJ*, 17(3), 91-97. doi:10.1016/j.aenj.2014.03.003

Fuhrmann, L., Lippert, A., Perner, A., & Østergaard, D. (2008). Incidence, staff awareness and mortality of patients at risk on general wards. *Resuscitation*, 77(3), 325-330. doi:10.1016/j.resuscitation.2008.01.009

Gao, H., McDonnell, A., Harrison, D. A., Moore, T., Adam, S., Daly, K., Harvey, S. (2007). Systematic review and evaluation of physiological track and trigger warning systems for identifying at-risk patients on the ward. *Intensive Care Medicine*, 33(4), 667-679. doi:10.1007/s00134-007-0532-3

Garrett, D. K., & McDaniel, A. M. (2001). A new look at nurse burnout: The effects of environmental uncertainty and social climate. *JONA: The Journal of Nursing Administration*, 31(2), 91-96. doi:10.1097/00005110-200102000-00009

Gazarian, P. K., Henneman, E. A., & Chandler, G. E. (2010). Nurse decision making in the prearrest period. *Clinical Nursing Research*, 19(1), 21-37. doi:10.1177/1054773809353161

- Gerrish, K., Ashworth, P., Lacey, A., Bailey, J., Cooke, J., Kendall, S., & McNeilly, E. (2007). Factors influencing the development of evidence-based practice: A research tool. *Journal of Advanced Nursing*, 57(3), 328-338. doi:10.1111/j.1365-2648.2006.04112.x
- Giddings, L. S., & Grant, B. M. (2006). Mixed methods research for the novice researcher. *Contemporary Nurse*, 23(1), 3-11.doi:10.5172/conu.2006.23.1.3
- Goldhill, D. R., McNarry, A. F., Mandersloot, G., & McGinley, A. (2005). A physiologically-based early warning score for ward patients: The association between score and outcome. *Anaesthesia*, 60(6), 547-553. doi:10.1111/j.1365-2044.2005.04186.x
- Goldhill, D. R., & McNarry, A. F. (2004). Physiological abnormalities in early warning scores are related to mortality in adult inpatients. *British Journal of Anaesthesia*, 92(6), 882-884. doi:10.1093/bja/aeh113
- Goldhill, D R, White, S. A., & Sumner, A. (1999). Physiological values and procedures in the 24 h before ICU admission from the ward. *Anaesthesia*, 54(6), 529-534.
- Goode, C., Lynn, M., McElroy, D., Bednash, G., & Murray, B. (2013). Lessons learned from 10 years of research on a post-baccalaureate nurse residency program. *JONA: The Journal of Nursing Administration*, 43(2), 73-79.
doi:10.1097/NNA.0b013e31827f205c
- Goodwin-Esola, M., Deely, M., & Powell, N. (2009). Progress meetings: Facilitating role transition of the new graduate. *Journal of Continuing Education in Nursing*, 40(9), 411-415. doi:10.3928/00220124-20090824-04
- Greene, J. C. (2008). Is mixed methods social inquiry a distinctive methodology? *Journal of Mixed Methods Research*, 2(1), 7-22. doi:10.1177/1558689807309969
- Guba, E., & Lincoln, Y. (1988). Do inquiry paradigms imply inquiry methodologies? In D. M. Fetterman (Ed.), *Qualitative approaches to evaluation in education: The silent revolution* (pp. 89-115). New York: Praeger.

Gwet, K. L. (2016). Testing the difference of correlated agreement coefficients for statistical significance. *Educational and Psychological Measurement*, 76(4), 609-637.
doi:10.1177/0013164415596420

Haines, S., & Coad, S. (2001). Supporting ward staff in acute care areas: Expanding the service. *Intensive & Critical Care Nursing*, 17(2), 105-109.
doi:10.1054/iccn.2001.1563

Halcomb, E., Stephens, M., Bryce, J., Foley, E., & Ashley, C. (2016). Nursing competency standards in primary health care: An integrative review. *Journal of Clinical Nursing*, 25(9-10), 1193-1205. doi:10.1111/jocn.13224

Halek, M., Holle, D., & Bartholomeyczik, S. (2017). Development and evaluation of the content validity, practicability and feasibility of the innovative dementia-oriented assessment system for challenging behaviour in residents with dementia. *BMC Health Services Research*, 17(280), 1-11. doi:10.1186/s12913-017-2469-8

Hammond, N. E., Spooner, A. J., Barnett, A. G., Corley, A., Brown, P., & Fraser, J. F. (2013). The effect of implementing a modified early warning scoring (MEWS) system on the adequacy of vital sign documentation. *Australian Critical Care*, 26(1), 18-22. doi: 10.1016/j.aucc.2012.05.001.

Hamric, A. B., Spross, J. A., Hanson, C.M. (2009). *Advanced Practice Nursing: An integrative approach (4th Ed)*. Missouri: Saunders.

Hardy, M., & Conway, M. (1988) *Role Theory: Perspectives for Health Professionals (2nd ed)*. California: Appleton and Lange.

Hartigan, I., Murphy, S., Flynn, A. V., & Walshe, N. (2010). Acute nursing episodes which challenge graduate's competence: Perceptions of registered nurses. *Nurse Education in Practice*, 10(5), 291-297. doi:10.1016/j.nepr.2010.01.005

Hatler, C., Mast, D., Bedker, D., Johnson, R., Corderella, J., Torres, J., . . . Plueger, M. (2009). Implementing a rapid response team to decrease emergencies outside the ICU: One hospital's experience. *Medsurg Nursing*, 18(2), 84-90.

- Hickey, M. T. (2009). Preceptor perceptions of new graduate nurse readiness for practice. *Journal for Nurses in Staff Development (JNSD)*, 25(1), 35-41. doi:10.1097/NND.0b013e318194b5bb
- Higgins, G., Spencer, R. L., & Kane, R. (2010). A systematic review of the experiences and perceptions of the newly qualified nurse in the united kingdom. *Nurse Education Today*, 30(6), 499-508. doi:10.1016/j.nedt.2009.10.017
- Hill, J (2017, July 19). Telephone interview. Chief project officer, ACSQHC.
- Hillman, K. M., Chen, J., & Jones, D. (2014). Rapid response systems. *The Medical Journal of Australia*, 201(9), 519-521. doi:10.5694/mja14.01088
- Hodgetts, T. J., Kenward, G., Vlackonikolis, I., Payne, S., Castle, N., Crouch, R., Shaikh, L. (2002). Incidence, location and reasons for avoidable in-hospital cardiac arrest in a district general hospital. *Resuscitation*, 54(2), 115-123. doi:10.1016/S0300-9572(02)00098-9
- Hogan, H., Healey, F., Neale, G., Thomson, R., Vincent, C., & Black, N. (2012). Preventable deaths due to problems in care in english acute hospitals: A retrospective case record review study. *BMJ Quality & Safety*, 21(9), 737-745. doi:10.1136/bmjqqs-2011-001159
- Hogan, J. (2006). Why don't nurses monitor the respiratory rates of patients? *British Journal of Nursing*, 15(9), 489-492. doi:10.12968/bjon.2006.15.9.21087
- Hollingsworth, E., & Ford-Gilboe, M. (2006). Registered nurses' self-efficacy for assessing and responding to woman abuse in emergency department settings. *The Canadian Journal of Nursing Research*, 38(4), 54-57.
- Horsburgh, M. (1989). Graduate nurses' adjustment to initial employment: Natural field work. *Journal of Advanced Nursing*, 14(8), 610-617.
- IBM Corp. Released 2016. *IBM SPSS Statistics for Windows, Version 24.0*. Armonk, NY: IBM Corp.

Imle, M. A., & Atwood, J. R. (1988) Retaining qualitative validity while gaining quantitative reliability and validity: Development of the Transition to Parenthood Concerns Scale. *Advances in Nursing Science*, 11(1), 61-75.

Institute for Health Improvement. (2004). 100,000 Lives Campaign. Retrieved from <http://www.ihi.org/Engage/Initiatives/Completed/5MillionLivesCampaign/Documents/Overview%20of%20the%20100K%20Campaign.pdf>

Institute for Health Improvement. (2017). 5 Million Lives Campaign. Retrieved from <http://www.ihi.org/Engage/Initiatives/Completed/5MillionLivesCampaign/Pages/default.aspx>

International Council of Nurses. (2006) Position Statement: Continuing competence as a professional responsibility and public right Geneva, Switzerland. Retrieved from http://www.icn.ch/images/stories/documents/publications/position_statements/B02_Continuing_Competence.pdf

International Council of Nurses. (2013). Position statement: Scope of nursing practice. Geneva, Switzerland. Retrieved from http://www.icn.ch/images/stories/documents/publications/position_statements/B07_Scope_Nsg_Practice.pdf

Janelle L. Theisen, & Kristin E. Sandau. (2013). Competency of new graduate nurses: A review of their weaknesses and strategies for success. *The Journal of Continuing Education in Nursing*, 44(9), 406-416. doi:10.3928/00220124-20130617-38

Janssen, P. (2009). Outcomes of planned home birth with registered midwife versus planned hospital birth with midwife or physician. *Cmaj*, 181(6), 377-383.

Jasper, M. (1996). The first year as a staff nurse: The experiences of a first cohort of project 2000 nurses in a demonstration district. *Journal of Advanced Nursing*, 24(4), 779-790.

Johnson, R. B., & Onwuegbuzie, A. J. (2004). Mixed methods research: A research paradigm whose time has come. *Educational Researcher*, 33(7), 14-26. doi:10.3102/0013189X033007014

- Johnstone, C. C., Rattray, J., & Myers, L. (2007). Physiological risk factors, early warning scoring systems and organizational changes. *Nursing in Critical Care*, 12(5), 219-24.
- Jones, D., Bates, S., Warrillow, S., Goldsmith, D., Kattula, a., Way, M., Bellomo, R. (2006). Effect of an education programme on the utilization of a medical emergency team in a teaching hospital. *Internal Medicine Journal*, 36(4), 231-236. doi:10.1111/j.1445-5994.2006.01045.x
- Jones, D., Mitchell, I., Hillman, K., & Story, D. (2013). Defining clinical deterioration. *Resuscitation*, 84(8), 1029-1034. doi:10.1016/j.resuscitation.2013.01.013
- Jones, L., King, L., & Wilson, C. (2009). A literature review: Factors that impact on nurses' effective use of the medical emergency team (MET). *Journal of Clinical Nursing*, 18(24), 3379-3390. doi:10.1111/j.1365-2702.2009.02944.x
- Jonsson, T., Jonsdottir, H., Möller, A. D., & Baldursdottir, L. (2011). Nursing documentation prior to emergency admissions to the intensive care unit. *Nursing in Critical Care*, 16(4), 164-169. doi:10.1111/j.1478-5153.2011.00427.x
- Kaihlanen, A., Lakanmaa, R., & Salminen, L. (2013). The transition from nursing student to registered nurse: The mentor's possibilities to act as a supporter. *Nurse Education in Practice*, 13(5), 418-422. doi:10.1016/j.nepr.2013.01.001
- Karabacak, Ü, Serbest, Ş, Kan Öntürk, Z., Eti Aslan, F., & Olgun, N. (2013). Relationship between student nurses' self-efficacy and psychomotor skills competence. *International Journal of Nursing Practice*, 19(2), 124-130. doi:10.1111/ijn.12051
- Kause, J., Smith, G., Prytherch, D., Parr, M., Flabouris, A., & Hillman, K. (2004). A comparison of antecedents to cardiac arrests, deaths and emergency intensive care admissions in Australia and New Zealand, and the United Kingdom—the ACADEMIA study. *Resuscitation*, 62(3), 275-282. doi:10.1016/j.resuscitation.2004.05.016

Kendall-Gallagher, D., & Blegen, M. A. (2009). Competence and certification of registered nurses and safety of patients in intensive care units. *American Journal of Critical Care, 18*(2), 106-113. doi:10.4037/ajcc2009487

Kisiel, M., & Perkins, C. (2006). Nursing observations: Knowledge to help prevent critical illness. *British Journal of Nursing, 15*(19), 1052-1056. doi:10.12968/bjon.2006.15.19.22105

Kramer M. (1974) *Reality Shock: Why Nurses Leave Nursing*. C.V. Mosby Company, St Louis.

Kramer, M., Brewer, B. B., & Maguire, P. (2013). Impact of healthy work environments on new graduate nurses' environmental reality shock. *Western Journal of Nursing Research, 35*(3), 348-383. doi:10.1177/0193945911403939

Lambert, V. A., & Lambert, C. E. (2001). Literature review of role stress/strain on nurses: An international perspective. *Nursing & Health Sciences, 3*(3), 161-172. doi:10.1046/j.1442-2018.2001.00086.x

Lambert SD, & Loiselle CG (2008) Combining individual interviews and focus groups to enhance data richness. *Journal of Advanced Nursing 62*(2), 228–37. doi: 10.1111/j.1365-2648.2007.04559.x.

Lavrakas, P. J. (2012). *Encyclopedia of survey research methods (1st ed.)*. Thousand Oaks, Calif: SAGE Publications.

Lavoie, P., Pepin, J., & Alderson, M. (2016). Defining patient deterioration through acute care and intensive care nurses' perspectives. *Nursing in Critical Care, 21*(2), 68-77. doi:10.1111/nicc.12114

Leech, N. L., & Onwuegbuzie, A. J. (2007). A typology of mixed methods research designs. *Quality & Quantity, 43*(2), 265–275.

Lejonqvist, G., Eriksson, K., & Meretoja, R. (2016). Evaluating clinical competence during nursing education: A comprehensive integrative literature review: Evaluating clinical competence. *International Journal of Nursing Practice*, 22(2), 142-151. doi:10.1111/ijn.12406

Levett-Jones, T., & Fitzgerald, M. (2005). A review of graduate nurse transition programs in Australia. *Australian Journal of Advanced Nursing*, 23(2), 40-45. Retrieved from <https://search.proquest.com/docview/236156773>

Liamputpong, P. (2009). Qualitative data analysis: Conceptual and practical considerations. Health Promotion Journal of Australia: *Official Journal of Australian Association of Health Promotion Professionals*, 20(2), 133-139. doi:10.1071/HE09133

Liamputpong, P. (2011). *Focus group methodology: Principles and practices (1st ed.)*. Los Angeles: SAGE.

Liaw, S. Y., Scherpbier, A., Klainin-Yobas, P., & Rethans, J. (2011). A review of educational strategies to improve nurses' roles in recognizing and responding to deteriorating patients. *International Nursing Review*, 58(3), 296-303. doi:10.1111/j.1466-7657.2011.00915.x

Lighthall, G. K., Markar, S., & Hsiung, R. (2009). Abnormal vital signs are associated with an increased risk for critical events in US veteran inpatients. *Resuscitation*, 80(11), 1264-1269. doi:10.1016/j.resuscitation.2009.08.012

Lim, J., Bogossian, F., & Ahern, K. (2010). Stress and coping in Australian nurses: A systematic review. *International Nursing Review*, 57(1), 22-31. doi: 10.1111/j.1466-7657.2009.00765.x.

Lima, S., Newall, F., Jordan, H. L., Hamilton, B., & Kinney, S. (2016). Development of competence in the first year of graduate nursing practice: A longitudinal study. *Journal of Advanced Nursing*, 72(4), 878-888. doi:10.1111/jan.12874

Lima, S., Newall, F., Kinney, S., Jordan, H. L., & Hamilton, B. (2014). How competent are they? graduate nurses self-assessment of competence at the start of their careers. *Collegian*, 21(4), 353-358. doi:10.1016/j.colegn.2013.09.001

Lincoln, Y.S., & Guba, E.G. (1985). *Naturalistic inquiry*. Newbury Park, CA: Sage.

Lu, H., While, A. E., & Louise Barriball, K. (2008). Role perceptions and reported actual role content of hospital nurses in mainland china. *Journal of Clinical Nursing*, 17(8), 1011-1022. doi:10.1111/j.1365-2702.2007.01950.x

Ludikhuize, J., Smorenburg, S. M., de Rooij, S. E., & de Jonge, E. (2012). Identification of deteriorating patients on general wards; measurement of vital parameters and potential effectiveness of the modified early warning score. *Journal of Critical Care*, 27(4), 424: e7-13. doi:10.1016/j.jcrc.2012.01.003

Lynn, M. R. (1986). Determination and quantification of content validity. *Nursing Research*, 35, 382-385.

Maggs, F., & Mallet, M. (2010). Mortality in out-of-hours emergency medical admissions-- more than just a weekend effect. *The Journal of the Royal College of Physicians of Edinburgh*, 40(2), 115-118. doi:10.4997/JRCPE.2010.205

Maharaj, R., Raffaele, I., & Wendon, J. (2015). Rapid response systems: A systematic review and meta-analysis. *Critical Care*, 19(1), 254. doi:10.1186/s13054-015-0973-y

Majomi, P., Brown, B., & Crawford, P. (2003). Sacrificing the personal to the professional: Community mental health nurses. *Journal of Advanced Nursing*, 42(5), 527-538. doi:10.1046/j.1365-2648.2003.02652.x

Major, D. A. (2003). Utilizing role theory to help employed parents cope with children's chronic illness. *Health Education Research*, 18(1), 45-57. doi:10.1093/her/18.1.45

Massey, D., Aitken, L. M., & Chaboyer, W. (2009). What factors influence suboptimal ward care in the acutely ill ward patient? *Intensive & Critical Care Nursing*, 25(4), 169-180. doi:10.1016/j.iccn.2009.03.005

Massey, D., Aitken, L. M., & Chaboyer, W. (2010). Literature review: Do rapid response systems reduce the incidence of major adverse events in the deteriorating ward patient? *Journal of Clinical Nursing*, 19(23-24), 3260-3273. doi:10.1111/j.1365-2702.2010.03394.x

Massey, D., Aitken, L. M., & Chaboyer, W. (2015). The impact of a nurse led rapid response system on adverse, major adverse events and activation of the medical emergency team. *Intensive & Critical Care Nursing*, 31(2), 83-90. doi:10.1016/j.iccn.2014.11.005

Massey, D., Chaboyer, W., & Aitken, L. (2014). Nurses' perceptions of accessing a medical emergency team: A qualitative study. *Australian Critical Care*, 27(3), 133-138. doi:10.1016/j.aucc.2013.11.001

Massey, D., Chaboyer, W., & Anderson, V. (2017). What factors influence ward nurses' recognition of and response to patient deterioration? an integrative review of the literature. *Nursing Open*, 4(1), 6-23. doi:10.1002/nop2.53

Massey, D., & Meredith, T. (2010). Respiratory assessment 1: Why do it and how to do it? *British Journal of Cardiac Nursing*, 5(11), 537-541. doi:10.12968/bjca.2010.5.11.79634

Matlow, A. G., Baker, G. R., Flintoft, V., Cochrane, D., Coffey, M., Cohen, E., Nijssen-Jordan, C. (2012). Adverse events among children in canadian hospitals: The canadian paediatric adverse events study. *Cmaj*, 184(13), E709-18. doi:10.1503/cmaj.112153

Maynard, C. A. (1996). Relationship of critical thinking ability to professional nursing competence. *Journal of Nursing Education*, 35(1), 12-18.

McGaughey, J. (2009). Acute care teaching in the undergraduate nursing curriculum. *Nursing in Critical Care*, 14(1), 11-6. doi:10.1111/j.1478-5153.2008.00303.x

McGloin, H., Adam, S. K., & Singer, M. (1999). Unexpected deaths and referrals to intensive care of patients on general wards. are some cases potentially avoidable? *Journal of the Royal College of Physicians of London*, 33(3), 255-259. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10402575>

McHugh, M. L. (2012). Interrater reliability: The kappa statistic. *Biochemia Medica*, 22(3), 276-283.

McQuillan, P., Pilkington, S., Allan, A., Taylor, B., Short, A., Morgan, G., Smith, G. (1998). Confidential inquiry into quality of care before admission to intensive care. *British Medical Journal*, 316(7148), 1853-1858. doi:10.1136/bmj.316.7148.1853

Meechan, R., Jones, H., & Valler-Jones, T. (2011). Students' perspectives on their skills acquisition and confidence. *British Journal of Nursing*, 20(7), 445-450. doi:10.12968/bjon.2011.20.7.445

Missen, K., McKenna, L., & Beauchamp, A. (2016). Registered nurses' perceptions of new nursing graduates' clinical competence: A systematic integrative review. *Nursing & Health Sciences*, 18(2), 143-153. doi:10.1111/nhs.12249

Mitchell, I. A., McKay, H., Van Leuvan, C., Berry, R., McCutcheon, C., Avard, B., Lamberth, P. (2010). A prospective controlled trial of the effect of a multi-faceted intervention on early recognition and intervention in deteriorating hospital patients. *Resuscitation*, 81(6), 658-666. doi:10.1016/j.resuscitation.2010.03.001

Mitchell, I., & Van Leuvan, C. H. (2008). Missed opportunities? an observational study of vital sign measurements. *Critical Care and Resuscitation*, 10(2), 111-5.

Monterosso, L., Kristjanson, L. J., & Dadd, G. (2006). Content validity and reliability testing of the FIN-PED II: A tool to measure care needs of parents of children with cancer. *Journal of Nursing Measurement*, 14(1), 31-44.

Mooney, M. (2007). Facing registration: The expectations and the unexpected. *Nurse Education Today*, 27(8), 840-847. doi:10.1016/j.nedt.2006.11.003

Morgan, D. L. (1997). *Focus Groups as Qualitative Research*. (2nd ed.). Sage Publications, Thousand Oaks

Morgan, D. L. (2007). Paradigms lost and pragmatism regained: Methodological implications of combining qualitative and quantitative methods. *Journal of Mixed Methods Research*, 1(1), 48-76. doi:10.1177/2345678906292462

Morgan, D. L. (2013). *Integrating qualitative and quantitative methods: A pragmatic approach*. Thousand Oaks, CA: SAGE.

Morrow, S. (2009). New graduate transitions: Leaving the nest, joining the flight. *Journal of Nursing Management*, 17(3), 278-287. doi:10.1111/j.1365-2834.2008.00886.x

Munroe, B., Buckley, T., Curtis, K., Murphy, M., Strachan, L., Hardy, J., & Fethney, J. (2015). The impact of HIRAID on emergency nurses' self-efficacy, anxiety and perceived control: A simulated study. *International Emergency Nursing*, 25, 53-58. doi:10.1016/j.ienj.2015.08.004

National Health and Medical Research Council (NHMRC) (2017). *National statement on ethical conduct in human research 2007- Updated May 2015*. Retrieved from <http://www.nhmrc.gov.au/guidelines/publications/e72>

Nursing and Midwifery Board of Australia (2006). *National Competency Standards for the Registered Nurse*. Melbourne: Nursing and midwifery Board of Australia.

Nursing and Midwifery Board of Australia (2016). Registered nurse standards for practice. Melbourne: Nursing and midwifery Board of Australia.

National Institute for Health and Clinical Excellence, (2007). *Acutely ill patient in hospital; recognition of and response to acute illness in adults in hospital*. London

National Patient Safety Agency. (2007). *Recognising and responding appropriately to early signs of deterioration in hospitalised patients*. Retrieved from <http://www.npsa.nhs.uk/corporate/news/deterioration-in-hospitalised-patients/>.

National Patient Safety Agency. (2007). Safer care for the acutely ill patient: learning from serious incidents. NPSA, London.

National Patient Safety Agency. (2010) *National framework for reporting and learning from serious incidents requiring investigation*. NPSA, London.

Newman, I., & Benz, C. R. (1998). *Qualitative-quantitative research methodology: Exploring the interactive continuum*. Carbondale: University of Illinois Press.

Newton, J. M., & McKenna, L. (2007). The transitional journey through the graduate year: A focus group study. *International Journal of Nursing Studies*, 44(7), 1231-1237.
doi:10.1016/j.ijnurstu.2006.05.017

Nilsson, J., Johansson, E., Egmar, A. C., Florin, J., Leksell, J., Lepp, M., Högskolan i Gävle. (2014). Development and validation of a new tool measuring nurses self-reported professional competence-the nurse professional competence (NPC) scale. *Nurse Education Today*, 34(4), 574-580. doi:10.1016/j.nedt.2013.07.016

Nunnally, J. C., Bernstein, I. H. (1994). *Psychometric theory (3rd ed.)*. New York: McGraw-Hill.

Odell, M. (2010). Are early warning scores the only way to rapidly detect and manage deterioration? *Nursing Times*, 106(8), 24-26.

Odell, M., Victor, C., & Oliver, D. (2009). Nurses' role in detecting deterioration in ward patients: Systematic literature review. *Journal of Advanced Nursing*, 65(10), 1992-2006. doi:10.1111/j.1365-2648.2009.05109.

Oliveira Lopes, M. V., Silva, V. M., Araujo, T. L., & Silva Filho, J. V. (2015). Statistical characteristics of the weighted Inter-Rater reliability index for clinically validating nursing diagnoses. *International Journal of Nursing Knowledge*, 26(4), 150-155.
doi:10.1111/2047-3095.12047

Onwuegbuzie, A. J., Johnson, R. B., & Collins, K. M. (2009). Call for mixed analysis: A philosophical framework for combining qualitative and quantitative approaches. *International Journal of Multiple Research Approaches*, 3(2), 114-136.
doi:10.5172/mra.3.2.114

- Onwuegbuzie, A. J., Slate, J. R., Leech, N. L., & Collins, K. M. (2007). Conducting mixed analyses: A general typology. *International Journal of Multiple Research Approaches*, 1(1), 4-17.
- O'Shea, K. (2002). *Staff development nursing secrets*. Philadelphia: Hanley & Belfus, Inc.
- Parahoo, A. K. (1997). *Nursing Research: Principle, process and issues*. Basingstoke, Macmillan Press.
- Paterson, R., MacLeod, D. C., Thetford, D., Beattie, A., Graham, C., Lam, S., & Bell, D. (2006). Prediction of in-hospital mortality and length of stay using an early warning scoring system: Clinical audit. *Clinical Medicine, Journal of the Royal College of Physicians*, 6(3), 281-284. doi:10.7861/clinmedicine.6-3-281
- Pike, T., & O'Donnell, V. (2010). The impact of clinical simulation on learner self-efficacy in pre-registration nursing education. *Nurse Education Today*, 30(5), 405-410. doi:10.1016/j.nedt.2009.09.013
- Plack, M. (2005). Human nature and research paradigms: Theory meets physical therapy practice. *The Qualitative Report*, 10, 223–245.
- Polit, D. F., & Beck, C. T. (2004). *Nursing Research: Principles & Methods*, (7th ed). Philadelphia, Lippincott.
- Polit, D. F., & Beck, C. T. (2012). *Nursing Research Generating and assessing evidence for nursing practice* (9th ed). Philidelphia: Lippincott Williams & Wilkins.
- Polit, D. F., Beck, C. T., & Owen, S. V. (2007). Is the CVI an acceptable indicator of content validity? appraisal and recommendations. *Research in Nursing & Health*, 30(4), 459-467. doi:10.1002/nur.20199
- Posner, B. Z., & Randolph, W. A. (1980). Moderators of role stress among hospital personnel. *The Journal of Psychology*, 105(2), 215-224.

- Pottier, P., Dejoie, T., Hardouin, J. B., Le Loupp, A. G., Planchon, B., Bonnaud, A., & Leblanc, V. R. (2013). Effect of stress on clinical reasoning during simulated ambulatory consultations. *Medical Teacher*, 35(6), 472-480.
doi:10.3109/0142159X.2013.774336
- Purling, A., & King, L. (2012). A literature review: Graduate nurses' preparedness for recognising and responding to the deteriorating patient. *Journal of Clinical Nursing*, 21(23-24), 3451-3465. doi:10.1111/j.1365-2702.2012.04348.x
- Quirke, S., Coombs, M., & McEldowney, R. (2011). Suboptimal care of the acutely unwell ward patient: A concept analysis. *Journal of Advanced Nursing*, 67(8), 1834-1845.
doi:10.1111/j.1365-2648.2011.05664.x
- Ranse, J., & Arbon, P. (2008). Graduate nurses' lived experience of in-hospital resuscitation: A hermeneutic phenomenological approach. *Australian Critical Care*, 21(1), 38-47.
doi:10.1016/j.aucc.2007.12.001
- Rattray, J. E., Lauder, W., Ludwick, R., Johnstone, C., Zeller, R., Winchell, J., Smith, A. (2011). Indicators of acute deterioration in adult patients nursed in acute wards: A factorial survey. *Journal of Clinical Nursing*, 20(5-6), 723-732. doi:10.1111/j.1365-2702.2010.03567.x
- Rochester, S. F., & Kilstoff, K. K. (2004). Hitting the floor running: Transitional experiences of graduates previously trained as enrolled nurses. *Australian Journal of Advanced Nursing*, 22(1), 13-7.
- Salamonson, Y., Heere, B. v., Everett, B., & Davidson, P. (2006). Voices from the floor: Nurses' perceptions of the medical emergency team. *Intensive & Critical Care Nursing*, 22(3), 138-143. doi:10.1016/j.iccn.2005.10.002
- Santiano, N., Young, L., Baramy, L. S., Cabrera, R., May, E., Wegener, R., Clinical Analysis Group. (2011). The impact of the medical emergency team on the resuscitation practice of critical care nurses. *BMJ Quality & Safety*, 20(2), 115-120.

Savage, P., Knight, B. A., & Knight, C. (2011). "Can I do that? is it legal?" the australian nurse's cry for help. *Journal of Nursing Law*, 14(2), 68-76. doi:10.1891/1073-7472.14.2.68

Saw, S. M., & Ng, t. P. (2001). The Design and Assessment of Questionnaires in Clinical Research. *Singapore Medical Journal*, 42(3), 131-135.

Schein, R. M. H., Hazday, N., Pena, M., Ruben, B. H., & Sprung, C. L. (1990). Clinical antecedents to in-hospital cardiopulmonary arrest. *Chest*, 98(6), 1388-1392. doi:10.1378/chest.98.6.1388

Schuler, R., Aldag, R., & Brief, A. (1977). Role conflict and ambiguity: A scale analysis. *Organizational Behavior and Human Performance*, 20 (1), 111-128. doi.org/10.1016/0030-5073(77)90047-2

Seward, E., Greig, E., Preston, S., Harris, R. A., Borrill, Z., Wardle, T. D., Pearson, M. G. (2003). A confidential study of deaths after emergency medical admission: Issues relating to quality of care. *Clinical Medicine, Journal of the Royal College of Physicians*, 3(5), 425-434. doi:10.7861/clinmedicine.3-5-425

Shaw, J. A., Connelly, D. M., & Zecevic, A. A. (2010). Pragmatism in practice: Mixed methods research for physiotherapy. *Physiotherapy Theory and Practice*, 26(8), 510–518. doi: 10.3109/09593981003660222.

Shenton, A. K. (2004). Strategies for ensuring trustworthiness in qualitative research projects. *Education for Information*, 22(2), 63-75. doi:10.3233/EFI-2004-22201

Shinners, J., Africa, L., & Hawkes, B. (2016). Debriefing as a supportive component for registered nurses in transition. *Journal for Nurses in Professional Development*, 32(4), 212-218. doi:10.1097/NND.0000000000000273

Sim, J., Wright, C. (2000). *Research in Health Care: Concepts, Designs and Methods*. Cheltenham, Stanley Thornes Publishers Ltd.

Skrifvars, M. B., Nurmi, J., Ikola, K., Saarinen, K., & Castrén, M. (2006). Reduced survival following resuscitation in patients with documented clinically abnormal observations prior to in-hospital cardiac arrest. *Resuscitation*, 70(2), 215-222.
doi:10.1016/j.resuscitation.2006.01.002

Smith, D. J., & Aitken, L. M. (2016). Use of a single parameter track and trigger chart and the perceived barriers and facilitators to escalation of a deteriorating ward patient: A mixed methods study. *Journal of Clinical Nursing*, 25(1-2), 175-185.
doi:10.1111/jocn.13104

Smith, G. B., & Poplett, N. (2004). Impact of attending a 1-day multi-professional course (ALERT™) on the knowledge of acute care in trainee doctors. *Resuscitation*, 61(2), 117-122. doi:10.1016/j.resuscitation.2004.01.003

Smith, G. B., Prytherch, D. R., Schmidt, P. E., Featherstone, P. I., & Higgins, B. (2008). A review, and performance evaluation, of single-parameter “track and trigger” systems. *Resuscitation*, 79(1), 11-21. doi:10.1016/j.resuscitation.2008.05.004

Smith, S. A. (2012). Nurse competence: A concept analysis. International *Journal of Nursing Knowledge*, 23(3), 172-182. doi:10.1111/j.2047-3095.2012.01225.x

Solomon, R. S., Corwin, G. S., Barclay, D. C., Quddusi, S. F., & Dannenberg, M. D. (2016). Effectiveness of rapid response teams on rates of in-hospital cardiopulmonary arrest and mortality: A systematic review and meta-analysis. *Journal of Hospital Medicine*, 11(6), 438-445. doi:10.1002/jhm.2554

Stommel, M., & Wills, C. (2004). *Clinical research: concepts and principles for advanced practice nurses*. Philadelphia: Lippincott Williams & Wilkins.

Story, D. A., Shelton, A. C., Poustie, S. J., Colin-Thome, N. J., & McNicol, P. L. (2004). The effect of critical care outreach on postoperative serious adverse events. *Anaesthesia*, 59(8), 762-766. doi:10.1111/j.1365-2044.2004.03835.x

Subbe, C. P., & Welch, J. R. (2013). Failure to rescue: Using rapid response systems to improve care of the deteriorating patient in hospital. *Clinical Risk*, 19(1), 6-11. doi:10.1177/1356262213486451

Subramony, D. P., Lindsay, N., Middlebrook, R. H., Fosse, C. (2002). Using focus group interviews. *Performance Improvement*, 41(8), 40–47.

Sun, S. (2011). Meta-analysis of cohen's kappa. *Health Services and Outcomes Research Methodology*, 11(3), 145-163. doi:10.1007/s10742-011-0077-3

Takase, M., & Teraoka, S. (2011). Development of the holistic nursing competence scale. *Nursing & Health Sciences*, 13(4), 396-403. doi:10.1111/j.1442-2018.2011.00631.x

Teddlie, C., & Tashakkori, A. (2003). *Handbook of mixed methods in social & behavioral research*. Thousand Oaks, Calif: SAGE Publications.

Tee, A., Calzavacca, P., Licari, E., Goldsmith, D., & Bellomo, R. (2008). Bench-to-bedside review: The MET syndrome--the challenges of researching and adopting medical emergency teams. *Critical Care*, 12(1), 205. doi:10.1186/cc6199

The National Confidential Enquiry into Patient Outcome & Death. (2005). *An acute problem? A report of the National Confidential Enquiry into Patient Outcome and Death*. NCEPOD: London.

Theisen, J. L., & Sandau, K. E. (2013). Competency of new graduate nurses: A review of their weaknesses and strategies for success. *The Journal of Continuing Education in Nursing*, 44(9), 406-414. doi:10.3928/00220124-20130617-38

Thim, T., Krarup, N. H. V., Grove, E. L., Rohde, C. V., & Løfgren, B. (2012). Initial assessment and treatment with the airway, breathing, circulation, disability, exposure (ABCDE) approach. *International Journal of General Medicine*, 5, 117-121. doi:10.2147/IJGM.S28478

- Thomas, C. M., Bertram, E., & Johnson, D. (2009). The SBAR communication technique: Teaching nursing students professional communication skills. *Nurse Educator*, 34(4), 176-180. doi:10.1097/NNE.0b013e3181aaba54
- Tiew, L. H., Koh, C. S. L., Creedy, D. K., & Tam, W. S. W. (2017). Graduate nurses' evaluation of mentorship: Development of a new tool. *Nurse Education Today*, 54, 77-82. doi:10.1016/j.nedt.2017.04.016
- Toye, C., Kristjanson, L. J., & Mastaglia, B. (2003). Ensuring content validity in instrument development: Challenges and innovative approaches. *Contemporary Nurse*, 14(3), 281-91. doi:10.5172/conu.14.3.281
- Twinn, S. (2003). Status of mixed methods research in nursing. In A. Tashakkori & C. Teddlie (Eds.), *Handbook of mixed methods in social & behavioral research* (pp. 541-556). Thousand Oaks, CA: Sage.
- Ulrich, B., Ashlock, C. H., Krozek, C., Africa, L. M., Early, S., & Carman, M. L. (2010). Improving retention, confidence, and competence of new graduate nurses: Results from a 10-year longitudinal database. *Nursing Economics*, 28(6), 363-376.
- Valdez, A. M. (2008). Transitioning from novice to competent: What can we learn from the literature about graduate nurses in the emergency setting? *Journal of Emergency Nursing*, 34(5), 435-440. doi:10.1016/j.jen.2007.07.008
- Valloze, J. (2009). Competence: A concept analysis. *Teaching and Learning in Nursing*, 4(4), 115-118. doi:10.1016/j.teln.2009.02.004
- van Eyk H., Baum, F. (2003). Evaluating health system change using focus groups and a developing discussion paper to compile the 'voices from the field'. *Qualitative Health Research*, 13(2), 281-286.
- Varner, K. D., & Leeds, R. A. (2012). Transition within a graduate nurse residency program. *The Journal of Continuing Education in Nursing*, 43(11), 491-499. doi:10.3928/00220124-20121001-28

Volchenboum, S. L., Mayampurath, A., Göksu-Gürsoy, G., Edelson, D. P., Howell, M. D., & Churpek, M. M. (2016). Association between in-hospital critical illness events and outcomes in patients on the same ward. *Jama*, 316(24), 2674-2675.
10.1001/jama.2016.15505 Retrieved from <http://dx.doi.org/10.1001/jama.2016.15505>

Walker, S & Godfrey, S 2008, 'Primary and community health nurses perception of evidence needed to demonstrate that their clinical practice meets the ANMC competencies', *Studies in Learning, Evaluation, Innovation and Development*, 5(2), 15-24.

Watson, R., Stimpson, A., Topping, A., & Porock, D. (2002). Clinical competence assessment in nursing: A systematic review of the literature. *Journal of Advanced Nursing*, 39(5), 421-431. doi:10.1046/j.1365-2648.2002.02307.x

Wheatley, I. (2006). The nursing practice of taking level 1 patient observations. *Intensive & Critical Care Nursing*, 22(2), 115-121. doi:10.1016/j.iccn.2005.08.003

Whitehead, J. (2001). Newly qualified staff nurses' perceptions of the role transition. *British Journal of Nursing*, 10(5), 330-339. doi:10.12968/bjon.2001.10.5.5361

Wilson, R. M., Harrison, B. T., Gibberd, R. W., & Hamilton, J. D. (1999). An analysis of the causes of adverse events from the quality in australian health care study. *Medical Journal of Australia*, 170(9), 411-415.

Wolff, A. C., Pesut, B., & Regan, S. (2010). New graduate nurse practice readiness: Perspectives on the context shaping our understanding and expectations. *Nurse Education Today*, 30(2), 187-191. doi:10.1016/j.nedt.2009.07.011

Wood, I., Douglas, J., & Priest, H. (2004). Education and training for acute care delivery: A needs analysis. *Nursing in Critical Care*, 9(4), 159-166. doi:10.1111/j.1362-1017.2004.00069.x

Yanchar, S., & Williams, D. (2006). Reconsidering the compatibility thesis and eclecticism: Five proposed guidelines for method use. *Educational Researcher*, 35(9), 3-12.

Yanhua, C., & Watson, R. (2011). A review of clinical competence assessment in nursing.

Nurse Education Today, 31(8), 832-836. doi:10.1016/j.nedt.2011.05.003