

2016

Can my mechanic fix blue cars? A discussion of health clinician's interactions with
Aboriginal Australian clients

S Hill

S Ewen

D Paul

The University of Notre Dame Australia, david.paul@nd.edu.au

A Wilkin

Follow this and additional works at: http://researchonline.nd.edu.au/med_article



Part of the [Medicine and Health Sciences Commons](#)

This article was originally published as:

Hill, S., Ewen, S., Paul, D., & Wilkin, A. (2016). Can my mechanic fix blue cars? A discussion of health clinician's interactions with Aboriginal Australian clients. *Australian Journal of Rural Health, Early View (Online First)*.

Original article available here:

<http://onlinelibrary.wiley.com/doi/10.1111/ajr.12299/epdf>

This article is posted on ResearchOnline@ND at
http://researchonline.nd.edu.au/med_article/772. For more information,
please contact researchonline@nd.edu.au.



This is the peer reviewed version of the following article:

Hill, S., Ewen, S., Paul, D., and Wilkin, A. (2016). Can my mechanic fix blue cars? A discussion of health clinician's interactions with Aboriginal Australian clients. *Australian Journal of Rural Health, Early View* (Online First). doi: 10.1111/ajr.12299

This article has been published in final form at: -

<http://onlinelibrary.wiley.com/doi/10.1111/ajr.12299/epdf>

This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for self-archiving.

Title: Can my mechanic fix blue cars? A discussion of health clinician's interactions with
Aboriginal Australian clients

Authors:

Shauna Hill
University of Western Australia
35 Stirling Highway
Crawley WA 6009
Perth, Australia
Email: shauna.hill@student.uwa.edu.au

Professor Shaun C Ewen
Director, Melbourne Poche Centre for Indigenous Health
Faculty Medicine, Dentistry and Health Sciences
The University of Melbourne
Email: shaun.ewen@unimelb.edu.au
Tel: +61 3 8344 9230

Professor David Paul
Associate Dean Aboriginal Health
School of Medicine (Fremantle)
University of Notre Dame
47 Henry Street (PO Box 1225)
Fremantle W.A. 6959
Email: david.paul@nd.edu.au
Tel: +61 8 9433 0525

Alice Wilkin
Educating for Equity Project
Faculty Medicine, Dentistry and Health Sciences
The University of Melbourne
Email: alice.wilkin@unimelb.edu.au
Tel: +61 3 83449385

Corresponding author

Professor Shaun C Ewen
Director, Melbourne Poche Centre for Indigenous Health
Faculty Medicine, Dentistry and Health Sciences
The University of Melbourne
Email: shaun.ewen@unimelb.edu.au
Tel: +61 3 8344 9230

All authors complied with the International committee of Medical Journal Editors' authorship criteria. All authors contributed to the development of the concept of the manuscript, the research of the manuscript, editing/proof reading, and all are accountable for the content of the manuscript.

Can my mechanic fix blue cars? Discussion of health clinician's interactions with Aboriginal Australian clients

Abstract

We expect our professional mechanics to 'diagnose' and 'treat' our cars irrespective of colour, but are we expecting less from our health professionals? There is an increasing focus in the literature on health practitioner decision-making and its influence on the nature and quality of health care. In this article we explore how the basic diagnostic and therapeutic skills that health care practitioners have should be utilised equitably for all clients and propose ways this might be realised. Could the development of Indigenous specific curricula be teaching our medical students to think that Aboriginal patients are different from the norm? We conclude that despite the gains in introducing more comprehensive Aboriginal health curricula there remains considerable work to be done before we can be confident that we are ensuring that health practitioners are no longer contributing to health disparities.

Key words:

Aboriginal Health, Indigenous Health, health professional, racism in health, health disparities.

Applying ones expertise ...

Consider the following: if we own a car that is experiencing mechanical problems we usually would seek the advice and services of a mechanic, whose expertise in mechanics as demonstrated by their qualifications. We expect the mechanic to be able to diagnose any known mechanical problems that we, as the car owner, cannot be expected to know. We expect the mechanic to explain to us what is wrong with my car, to investigate and apply the most efficient ways of fixing the car and to be held accountable if she/he misdiagnoses or maltreats the mechanical needs of the car. We, as the owner, cannot be responsible for fixing the mechanical problems that are beyond my particular expertise and knowledge.

Acknowledging the somewhat simple nature of this analogy, we ask what does such an analogy offer when considering the health of Aboriginal people? No other group within the Australian population experiences the level of health disparity that exists within Aboriginal communities. Health professionals –with their qualifications, health knowledge and skills – play a role in reducing these ongoing health disparities between Aboriginal and non-Aboriginal people. For the purposes of this article the term ‘Aboriginal’ will be used to represent Australian Aboriginal and Torres Strait Islander peoples.

Despite health professionals only playing a small part in the diverse factors influencing health and health care outcomes, it is useful to ask a range of questions. These questions include, could the continuing poor health of Aboriginal people be partly caused by health practitioners due to the practitioners not receiving the education required for reducing the ongoing health disparities? Could health professional's engagement with individuals and / or community also be a factor? Have practitioners not made the contribution they could or should do in this area? And, do we expect practitioners to be sufficiently skilled to substantially reduce the gap?

Just as we would expect a qualified mechanic to be able to repair different cars, regardless of their colour, a qualified doctor or other health professional should be able to effectively treat people from different populations with identified medical problems – regardless of their background. What if a mechanic said they could not work on your car because it is blue and they have not received blue car training? If we would not normally accept this from our mechanics why should we accept this from our health professionals? In other words, the generic skills of health care professionals are assumed. What is of interest here is what can influence the application of these skills?

From mechanic to practitioner

Specialists, professionals, authorities, experts – these are the types of qualified individuals we often seek out to provide us with the best possible service to achieve the best possible outcome/s. We rely on qualified people in their respective fields to assist us with particular problems and minimise or prevent further issues occurring. Their qualification places them in a primary position to offer and, in partnership with the patient, implement solutions. Their qualifications also demand accountability to ensure that their knowledge and skills are appropriately applied .

We expect our professional mechanics to ‘diagnose’ and ‘treat’ our cars irrespective of colour, but are we expecting less from our health professionals? There is an increasing focus in the literature on health practitioner decision-making and the influence on the nature and quality of health care ¹⁻⁵. In this article we explore how the basic diagnostic and therapeutic skills that health care practitioners have should be utilised equitably for all clients and how the education of health practitioners can contribute to this.

Australia's Aboriginal population remains the least healthy population group within Australia⁶⁻⁸. Despite targeted interventions to improve the health of Aboriginal people, there remains a life expectancy gap of 9.7 years for women and 11.5 years for men⁷. The reasons for this depends upon one's perspective: for example, health professionals frequently assume that poor health outcomes result from an individual failing to take responsibility for one's own health⁹⁻¹¹ and non-adherence with a doctor's health advice¹²⁻¹⁴. Lloyd et al., when interviewing doctors about Aboriginal health policy, found that commonly doctors perceived Aboriginal patients to be non-adherent with one doctor stating that 'Aboriginal patients are non-compliant because they are not committed to their health'^{14(p9)}. However there is evidence that Aboriginal peoples adherence to health care advice is no worse than that for non-Aboriginal peoples¹⁵. Further, attributing blame on the patient's ethnicity as the cause of less than ideal health behaviours can affect the doctor/patient relationship¹.

From an Aboriginal community perspective, the barrier between the doctor and patient can exist because of long-standing issues such as the role that health practitioners and health services have played perpetuating, or inflicting, injustices upon some members the community¹⁶. For example, throughout the 1890's –1970's, Australian hospitals actively participated in the removal of Aboriginal children from their families when they presented for treatment¹⁶. Larger hospitals are also often associated with the death of family and friends who went there for treatment and never returned^{17,18}. And, many Aboriginal patients frequently experience racism during their treatment¹³.

What if you had a blue car?

So how can Aboriginal health related content in tertiary health science curricula improve the skills of health professionals to enable more equitable health care outcomes? One of the known barriers to health access and subsequent poor outcomes in Aboriginal health is racism and perceived racism ^{10,19,20}. Durey investigated

whether educating health professionals and undergraduate students in culturally respectful health service delivery is effective in reducing racism ^{20(p87)}.

While the study lacked direct evidence to reveal a reduction in racism, Durey concluded that a key requirement to attain better health outcomes for Aboriginal Australians was to have

collaboration between policy makers, mainstream inter-disciplinary health services, academia and key Aboriginal stakeholders ^{20(p91)}.

The behavior of health care providers contributes to health disparities, albeit unintentionally ¹.

In addition, this behaviour can be more pronounced when there is discordance between the ethnicity of the practitioner and client ²¹. Understanding how practitioner decision making contributes to disparity and the mechanisms at play warrants further inquiry ¹, particularly given the substantially lower rates of intervention experienced by minority groups ^{4, 5, 22}. Such inequitable outcomes are the product of a mix of unconscious bias ³, more explicit racial discrimination ⁵ and institutional racism ²³ within health care systems and structures.

The influence of formal tertiary level education on health professionals could play a part, although it is not the only contributing factor ^{2,19,20}, in equipping the students with cultural understandings and ways of working as a means of reducing the impacts of racism and bias

within health care decision making and hence improve patient outcomes. However, due to a lack of evaluation in this area to date, this is only an assumption^{20,24} based on anecdotal evidence.

Aboriginal health content in tertiary level health sciences is commonly titled 'Cultural Competency' or 'Aboriginal health' but there are few other consistencies in delivery²⁵⁻²⁷.

There are several models of teaching Aboriginal health: from one-off guest lecturers through an intensive five-day course²⁸, to semester-long courses or, rarely, comprehensive vertically integrated curricula embedded in each year of the health professional course²⁹. Additionally Aboriginal health can be offered as an optional or core subject²⁴. Such diversity of approaches sits at odds with what is recognised as the most effective way of teaching future health practitioners about culture and context, namely, an integrated curricular approach³⁰⁻³².

There can be several problems with the above ways of teaching health professionals about Aboriginal health. When the content is a 'one-off' unit or lecturer or intensive workshop the course structure may be inadvertently reinforcing the idea that Aboriginal patients lie outside the realm of the average patient, which can lead to essentialism and subsequent stereotyping^{33,34}. Additionally, when Aboriginal health is taught as integrated curricula in some cases it "can be simply vertically collocated, rather than meaningfully integrated"²⁴ and

without a meaningfully integrated approach, cultural competence curricula is at risk of being perceived by students and faculty alike as an 'add-on' to the important core curricula^{24(p22)}.

The perception of being an "add on" is a key issue, because by failing to meaningfully integrate Aboriginal health curricula, educators are potentially setting future health

practitioners up to not prioritise Aboriginal health issues. It is over ten years since the CDAMS Indigenous Health Curriculum Framework was developed and endorsed in Australia and New Zealand in 2004³⁵. The recent review of the implementation of the Framework shows that despite gains, there remains considerable diversity in the level of implementation across the medical schools in Australia³⁶.

This is not only an issue in Australia and New Zealand, there are some factors that are common to Indigenous communities worldwide, particularly in settler colonial contexts, which have contributed to ongoing health disparities. For example loss of country, subsequent government policies that included forced child removal and repression of culture^{16,37}. However these similarities do not mean that Aboriginal health can be essentialised nor an 'add on' in health professional training.

It is too soon for us to be confident that the existing changes to the education of health professionals will ensure more equitable health care delivery to all peoples irrespective of background and ethnicity. The way in which future health care professionals are taught, as well as what they are taught, needs further investigation. Factors that enable health professionals to continue in-equitable management of patients need to be more clearly defined, rather than assumed. In particular there is scope to ensure that practitioners do not continue to learn from a structure that can reinforce the idea that Aboriginal patients are unlike 'normal' patients. Just as if a mechanic was taught that blue cars require a different diagnostic approach when the only difference is the paint.

ACKNOWLEDGEMENTS

The authors would like to acknowledge our Australian and international colleagues involved in the Educating for Equity project. See www.educating4equity.net for more details of the project and team members.

This project is supported by funding from the National Health and Medical Research Council, grant ID 634586.

References

- [1] Burgess D, Fu S, van Ryn M. Why Do Providers Contribute to Disparities and What Can Be Done About It? *J Gen Intern Med.* 2004;19(11): 1154-1159.
- [2] Dogra N, Reitmanova S, Carter-Pokras O. Twelve tips for teaching diversity and embedding it in the medical curriculum. *Med Teach.* 2009;31: 990-993.
- [3] Haider A, Sexton J, Cooper L, Efron D, Swobada S, Villegas C, Haut E, Bonds M, Pronovost P, Lipsett P, Freischlag J, Cornwell E. Association of unconscious race and social class bias with vignette-based clinical assessments by medical students. *JAMA.* 2011;306(9): 942-951.
- [4] van Ryn M, Burgess D, Dovidio J, Phelan S, Saha S, Malat J, Griffin J, Fu S, Perry S. The impact of racism on clinician cognition, behaviour, and clinical decision making. *Du Bois Rev.* 2011;8(1): 199-218.
- [5] Harris R, Cormack D, Tobias M, Yeh L, Talamaivao N, Minster J, Timutimu R. The pervasive effects of racism: Experiences of racial discrimination in New Zealand over time and associations with multiple health domains. *Soc Sci Med.* 2012;74(3): 408-415.
- [6] Australian Bureau of Statistics (ABS). National Aboriginal and Torres Strait Islander Health Survey, 2004–05 [Internet]. 2006 [cited 2012 Feb 12]; ABS cat. No. 4715.0. Available from: <http://www.abs.gov.au>.
- [7] Australian Institute of Health and Welfare (AIHW). The health and welfare of Australia's Aboriginal and Torres Strait Islander people: an overview 2011 [Internet]. 2011 [cited 2012 Feb 12]; AIHW cat. No. IHW 42. Available from: <http://www.aihw.gov.au/publications/index.cfm/title/10305>
- [8] Australian IndigenousHealthInfoNet. Overview of Australian Indigenous health status 2011 [Internet]. 2011 [cited 2012 Feb 12]. Available from:

<http://www.healthinonet.ecu.edu.au>

[9] Paterson B, Charlton P, Richard S. Non-attendance in chronic disease clinics: a matter of non-compliance? *J Nurs Healthc Chronic Illn*. 2010;2(1): 63-74.

[10] Saethre E. Medical interactions, complaints, and the construction of Aboriginality in remote Australia. *Soc. Identities*. 2009; 15(6): 773-786.

[11] Harrington Z, Thomas D, Currie B, Bulkanhawuy J. Challenging perceptions of non-compliance with rheumatic fever prophylaxis in a remote Aboriginal community. *MJA*; 184(10): 514-517.

[12] Lowell A, Maypilama E, Yikaniwuy S, Rrapa E, Williams R, Dunn S. Hiding the story Indigenous consumer concerns about communication related to chronic disease in one remote region of Australia. *Int J Speech Lang Pathol*. 2012;14(3): 200-208.

[13] Trueman S, Mills J, Usher K. Racism in contemporary Australian Nursing. *Aborig Isl Health Work J*. 2011;35(5).

[14] Lloyd J, Wise M, Weeramanthri T, Nugus P. The influence of professional values on the implementation of Aboriginal health policy. *J Health Serv Res Policy*. 2009;14(1): 6-12.

[15] Humphery K, Weeramanthri T, Fitz J. *Forgetting compliance: Aboriginal health and medical culture*. Darwin, NT: NTU Press in association with the Cooperative Research Centre for Aboriginal and Tropical Health. 2001.

[16] Human Rights and Equal Opportunity Commission (HREOC). *Bringing them Home: Report of the National Enquiry into the Separation of Aboriginal and Torres Strait Islander Children from their Families*. Canberra, ACT: Australian Government Printing Service; 1997.

[17] Einsiedel L, Van Lersel E, Macnamara R, Spelman T, Hefferman M, Bray L, Morris H, Porter B, Davis A. 'Self-discharge by adult Aboriginal patients at Alice Springs Hospital, Central Australia: insights from a prospective cohort study'. *Aust Health Rev*. 2013; 37: 239-245.

- [18] Ireland S, Wulili Narjic C, Belton S, Kildea S. Niyith Nniyith Watmam (the quiet story): Exploring the experiences of Aboriginal women who give birth in their remote community. *Midwifery*. 2011;27: 634–641.
- [19] Awofeso N. Racism: a major impediment to optimal Indigenous health and health care in Australia. *Australian Indigenous Health Bulletin*. 2011;11(3).
- [20] Durey A. Reducing racism in Aboriginal health care in Australia: where does cultural education fit? *Aust N Z J Public Health*. 2010;34(s1).
- [21] LaVeist, T., A. Nuru-Jeter and K. Jones (2003). The Association of Doctor-Patient Race Concordance with Health Services Utilization. *Journal of Public Health Policy* 24(3/4): 312-323.
- [22] Curtis, E., M. Harwood, T. Riddell, B. Robson, R. Harris, C. Mills and P. Reid (2010). Access and Society as Determinants of Ischaemic Heart Disease in Indigenous Populations. *Heart, Lung and Circulation* 19: 316-324.
- [23] Jones, C. (2000). Levels of racism: a theoretical framework and a gardener's tale. *American Journal of Public Health* 90(8): 1212-1215.
- [24] Ewen S, Paul D, Bloom G. Do indigenous health curricula in health science education reduce disparities in health care outcomes? *Med J Aust*. 2012;197(1).
- [25] Ewen SC, Paul D, Wilkin A. Health disparities, cultural awareness, and Indigenous health: Results from a health educator survey. *J Nurs Educ Pract*. 2014;4(10): 40-50.
- [26] Smith WT, Roth J, Okoro O, Kimberlin C, Odedina F. Disability in cultural competency pharmacy education. *Am J Pharm Educ*. 2011;75(2): 26.
- [27] Johnson Y, Munch S. Fundamental Contradictions in Cultural Competence. *Soc Work*. 2009;54(3): 220-231.
- [28] Vela M, Kim K, Tan, H, Chin M. Innovative health care disparities curriculum for incoming medical students. *J Gen Intern Med*. 2008;23(7): 1028-32.

- [29] Paul D, Carr S, Milroy H. Making a difference: assessing the impact of an Aboriginal health undergraduate medical curriculum. *Med J Aust.* 2006;184(10): 522-525.
- [30] Ewen SC. Cultural competence in medical education: a university case study [dissertation]. [Melbourne (Vic)]: University of Melbourne; 2011.
- [31] Seeleman C, Suurmond J, Stronks K. Cultural competence: a conceptual framework for teaching and learning. *Med Edu.* 2009;43(3):229-237.
- [32] Boutin-Foster C, Forster J, Konopasek L. Physician, know thyself: The professional culture of medicine as a framework for teaching cultural competence. *Acad Med.* 2008;83(1).
- [33] Hollinsworth D. Forget cultural competence; Ask for an autobiography. *J Soc Work Educ.* 2012;31(1): 1-13.
- [34] Morton T, Hornsey M, Postmes T. Shifting ground: The variable use of essentialism in contexts of inclusion and exclusion. *Br J Soc Psychol.* 2009;48: 35-59.
- [35] Phillips, G. CDAMS Indigenous health curriculum framework. Melbourne, VicHealth Koori Health and Community Development Unit, University of Melbourne; 2004.
- [36] Medical Deans Australia and New Zealand and Australian Indigenous Doctors Association. National medical education review: A review of the implementation of the Indigenous Health Curriculum Framework and the Health Futures Report within Australian medical schools. Sydney, Medical Deans & AIDA; 2012.
- [37] Royal Commission on Aboriginal Peoples (RCAP). Royal Commission on Aboriginal Peoples Final Report [Internet]. Aboriginal Affairs and Northern Development Canada; 1996 [cited 2013 Jun 6]. Available from: <http://www.aadnc-aandc.gc.ca/eng>